



e cooler™



EVAPORATIVE AIR COOLER

最新科技节能环保冷风机



OPEN SPACE
COOLING

开放式降温



ENERGY
SAVING

节省能源



ENVIRONMENT
FRIENDLY

环保

• SALE

• SERVICE

• RENTAL


EC 7000



EC 35H




EC 35L



Specification / Model	EC 7000	EC 35H	EC 35L
Air flow (m ³ /h)	7,000	3,500	
Power (W/h) / (A)	250 / 2.45	120 / 1.45	120 / 1.45
Fan Type	Axial	Centrifugal	Centrifugal
Dimension (mm) L x W x H	750 x 550 x 1,320	600 x 430 x 1680	600 x 430 x 1380
Net Weight (Kg)	35	40	27
Operating Weight (Kg)	95	62	75
Water Lack Protection	Yes		
Temperature Indicator	Nil	Yes	
Power Consumption	RM0.10 / hour	RM0.05 / hour	RM0.05 / hour
Water Consumption	4 - 7 L/h	4 - 5 L/h	
Effective Area (m ²)	50 - 60	20 - 30	
Air Throw	2 Way	4 Way	



ec-18B*ec-18T**ec-16S*

Specification / Model	EC-18B	EC-18T	EC-16S
Air flow (m ³ /h)	18,000	18,000	16,000
Power (kW/h)	1.1	1.1	0.9
Power Resource (V/Hz)	240/50 415/50	240/50 415/50	240/50 415/50
Fan Type	Axial		
Dimension (mm)	1150 x 1150 x 950	1150 x 1150 x 982	1170 x 1250 x 960
Net Weight (Kg)	80	86	95
Water Lack Protection	Yes		
Power Consumption	RM0.40 / hour	RM0.40 / hour	RM0.30 / hour
Water Consumption	10 - 15 L/h		
Effective Area (m ²)	100 - 150	100 - 150	100 - 130



APPLICATIONS OF *Ecooler*



Church




Coffee Shop



Computer Shop



Factory



Farm



Fastfood



Grocery



Gym



Hospital



Hotel



House



Kitchen



Laundry Shop



Shopping Mall



Show Room



Events



School



Mosque



Saloon



Office



Terminal



Hall